# *Window Beauty*

## FOR YOUR NEW HOME

WITH *Windowalls*

OF ANDERSEN

## GLIDING WINDOW UNITS

# SO SIMPLE IT'S UNBELIEVABLE . . . SO MODERN IT'S REVOLUTIONARY!



The Andersen Gliding Window opens by sliding the sash from side to side, instead of up and down. The right-hand sash glides into the inner sill track and moves in front of the left hand sash

Left hand sash glides on outside track, behind the other sash. The two sash slide past each other, although when they are closed they are side by side in the same plane.

When it's time to clean your windows, you can remove the sash of the Andersen Gliding Window merely by lifting the sash up, and pulling out the lower end. All cleaning is done within the safety of the home.

## FASTEST INSTALLATION OF ANY WINDOW UNIT

### WEATHERTIGHT WALL JOINT

Nail wide blind stop to studs. Nail head and sill windbreaks to plates. Wall joint is permanently weathertight and leak-proof.

### APPLY SILL TRACK

All you need is a screwdriver. Simply set sill track in place and sink the screws.

### SET SASH IN A JIFFY

Set sash in tracks simply by depressing head pins. Apply operator handle. The job's done.

### REMOVE DOUBLE GLAZING FROM INSIDE OF HOME

**Left:** A quarter turn with screwdriver unfastens double glazing.

**Right:** Take off for easy cleaning or storing when desired.

**ONLY THE RICH CAN AFFORD POOR WINDOWS**

# THE *Beauty* OF A LIVING PICTURE

A corner WINDOWALL makes this as much like a porch as a dining room. The entire installation is made by combining stock-size Andersen Gliding Window Units.

WINDOWALLS, formed by multiple installations of Andersen Gliding Window Units, match the spirit of modern home-building design trends. This broad expanse brings sunshine and fresh air into the living room.

## MAKE THE *Windowalls* IN YOUR NEW HOME WITH

# ANDERSEN GLIDING WINDOW UNITS

When you build the home of your dreams, you'll want to capture all the natural beauty of its surroundings in a series of "living pictures" . . . a vibrant, colorful panorama of flowers and trees and hills —all framed by large, beautiful windows.

This is possible when you install Andersen Gliding Windows, the remarkable windows so different that they constitute a building revolution all by themselves!

Andersen Gliding Windows are the answer to the insistent demand today for larger window openings — openings that let in more cheerful sunlight — permit a larger "living picture" of outdoor beauties.

The Andersen Gliding Window is made in two styles—the horizontal bar sash, which is especially adaptable in homes designed in the modern architectural spirit; and the "one-light" sash, with no bars, a style favored for modern homes.

Revolutionary in design, this Gliding Window, developed by Andersen after several years of research and testing, is simplicity itself. There are few operating parts — these are built to last a LIFETIME.

### Built to Traditional Andersen Standards of Lifetime Quality

- Precision-built—to thousandths of an inch.
- All wood parts chemically treated against termites and decay.
- Frames are built with the famous Andersen Leakproof Lock-sill Joint and weathertight wide blind stops.
- Finest-quality hardware; grade 'A' labeled glass, set and glazed with elastic glazing compound.
- Completely weatherstripped with Monarch Metalane, aluminum alloy that does not discolor.
- Attractive weatherproof plastic sill track—easy to keep clean.

### THE ANDERSEN GLIDING WINDOW IS A COMPLETE WINDOW UNIT

When you install the Andersen Gliding Window, you get the frame, the sash, all the hardware, the outside, rust-proof screen (optional), and the removable outside double glazing (optional). All precision fitted at the factory—ready to install.

The Andersen Gliding Window is available in a wide range of sizes and when used in large expanses costs about the same as good, completely weatherstripped, double-hung window units. Sold by your local lumber or millwork dealer.

*Ask your lumber dealer to arrange a demonstration of the Andersen Gliding Window*

ONLY THE RICH CAN AFFORD POOR WINDOWS

AVERY CLASSICS AT8805 Aw23 1950 c.c

**Andersen Corporation** • BAYPORT • MINNESOTA

# ANDERSEN GLIDING WINDOW

## STOCK LAYOUTS AND SIZES

### ONE LIGHT SASH




### HORIZONTAL BAR SASH




MODULAR SIZES: sizes conform to modular standards for masonry openings.

All openings shown are single units having two sash that slide past each other and are in the same plane when closed.

Sash are made with horizontal lights and one light glazing as shown. Special sizes and layouts cannot be furnished.

MULTIPLE OPENINGS are made by combining single units. To arrive at masonry opening widths for multiple openings using 4 inch modular mullions, add masonry opening widths shown for single openings.

For multiple rough stud openings add ½ inch to overall masonry openings.

**FOR COMPLETE SPECIFICATION DATA CONSULT YOUR ARCHITECT, CONTRACTOR OR LOCAL MILLWORK DEALER OR WRITE ANDERSEN**

**WOOD PERMANENTLY PROTECTED AGAINST TERMITES AND DECAY**

All wood parts are treated against termites and decay according to highest industry standards. Look for the "toxic preservative" seal of approval.